



Describe Treatment initially, when change occurs and weekly. Summarize monthly.

# TREATMENT RECORD Nursing Observations / Comments



Date		Treat-ment No.	Width	Length	Depth	Comments/Description	Date	Treat-ment No.	Width	Length	Depth	Comments/Description	Int.	Int.	
A 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16															
<p><b>(Code for highest stage of pressure ulcer)</b></p> <p><b>0.</b> No pressure ulcer</p> <p><b>Stage 1.</b> Observable pressure-related alteration of intact skin whose indicators as compared to adjacent or opposite area on the body may include changes in: skin temperature, tissue consistency and/or sensation. Ulcer appears as a defined area of persistent redness in lightly pigmented skin and persistent red, blue or purple hues in darker skin tones.</p> <p><b>Stage 2.</b> Partial thickness skin loss involving epidermis, dermis or both. Ulcer is superficial and presents clinically as an abrasion, blister or shallow crater.</p> <p><b>Stage 3.</b> Full thickness skin loss involving damage to, or necrosis of, subcutaneous tissue that may extend down to, but not through, underlying fascia. Ulcer presents clinically as a deep crater with or without undermining of adjacent tissue.</p> <p><b>Stage 4.</b> Full thickness skin loss with extensive destruction, tissue necrosis or damage to muscle, bone or supporting structures. Undermining and sinus tracts also may be associated.</p>															
<p>Int. Signature</p>															